Declaration of conformity

According to EN ISO/IEC 17059-1:2010

Number |	Manufacturer |
2140/08/2020	**TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic**

Declaration subject |

Heated sanitation outlets TOPWET TWE SAN with integrated sleeve

Type |

- ☐ TWE SAN 50 ___
- ☐ TWE SAN 63 ___
- ☐ TWE SAN 75 ___
- ☐ TWE SAN 90 ___
- ☐ TWE SAN 100 ___
- ☐ TWE SAN 110 ___
- ☐ TWE SAN 125 ___
- ☐ TWE SAN 140 ___
- ☐ TWE SAN 160 XL ___

The subject of declaration described above is in conformity with requirements |

EN 1253-2:2016 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap

Additional information |

a. Basic technical parameters

1. Dimensions DN: DN50, DN63, DN70, DN90, DN100, DN125, DN140, DN150
2. Purpose: for drainage of flat roofs with connection to the original outlet or pipe without a neck with electric heating
3. Material: outlet body – polyamide PA6, protective basket – polyamide PA6, sanitation seal – EPDM
4. Integrated connection sleeve
   BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin, EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed
5. Colour: grey
6. Load category: H 1,5

b. LGA QualiTest GmbH, Dreikronenstrasse 31, 97082 Würzburg, certification nr. 7313208z issued on 8. 5. 2014

c. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017 by URS United Registrar of Systems Czech s.r.o., PSN House, Argentinská 286/38, 170 00 Praha 7

d. Conformity assessment was executed by internal inspection within the scope of established production management system

TOPWET s.r.o.
Nám. Viléma Mrštíka 62, 664 81 Ostrovačice
Tel.: 530 507 486, fax: 530 507 487
IČ: 273 77 377, DIČ: CZ27377377
www.topwet.cz

In Ostrovačice on 01. 03. 2021

Tomáš Kunst | CEO