

## Declaration of conformity

According to EN ISO/IEC 17059-1:2010

Number	Manufacturer
<b>2130/08/2020</b>	<b>TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic</b>
Declaration subject	
<b>Refurbishment outlets TOPWET TW SAN with integrated sleeve</b>	
Type	<input type="checkbox"/> TW SAN 50 ____ <input type="checkbox"/> TW SAN 63 ____ <input type="checkbox"/> TW SAN 75 ____ <input type="checkbox"/> TW SAN 90 ____ <input type="checkbox"/> TW SAN 100 ____ <input type="checkbox"/> TW SAN 110 ____ <input type="checkbox"/> TW SAN 125 ____ <input type="checkbox"/> TW SAN 140 ____ <input type="checkbox"/> TW SAN 160 XL ____
The subject of declaration described above is in conformity with requirements	
<b>EN 1253-2:2016 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap</b>	

Additional information |

a. Basic technical parameters

1. Dimensions DN: DN50, DN63, DN70, DN90, DN100, DN125, DN140, DN150
2. Purpose: for drainage of flat roofs with connection to the original outlet or pipe without a neck
3. Material: outlet body – polyamide PA6, protective basket – polyamide PA6, refurbishment seal – EPDM
4. Integrated connection sleeve  
 BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin,  
 EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed
5. Colour: grey
6. Load category: H 1,5

b. LGA QualiTest GmbH, Dreikronenstrasse 31, 97082 Würzburg,  
certification nr. 7313208z issued on 8. 5. 2014

c. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017  
by URS United Registrar of Systems Czech s.r.o.,  
PSN House, Argentinská 286/38, 170 00 Praha 7

d. Conformity assessment was executed by internal inspection within  
the scope of established production management system



  
 Tomáš Kunst | CEO

In Ostrovačice on 01. 03. 2021